



## BEARING Argentina

### TIMKEN YCJT 30 SGT Flange Block Bearings



Bearing No. YCJT 30 SGT

YCJT 30 SGT Bearing 2D drawings and 3D CAD models

Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	1.126
EAN	0087796266162
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	11.5 Millimeter
Relubricatable	Yes
Insert Part Number	GYE30KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Metric
Long Description	2 Bolt Flange Block; 30MM Bore; 117MM Bolt Circle; 116.7MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 38.1MM Length Thru Bore; Relubricatable; Double Land Riding



## BEARING Argentina

	Rubber Con
Other Features	Single Row   Normal Duty   Wide Inner Race   Corrosion Resistant   Powder Coated Epoxy Finish
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	<a href="http://www.timken.com">http://www.timken.com</a>
Manufacturer Item Number	YCJT 30 SGT
Weight / LBS	2.482
Bolt Spacing	4.594 Inch   116.7 Millimeter
Nominal Bolt Circle Diameter Round	4.6 Inch   117 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
D	1.5 Inch   38.1 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
d	1.181 Inch   30 Millimeter
Shaft Size d	1.181 in
Bearing Type	Ball Bearing
Dimension E	1.711 in
Inside Ring Outside Diameter	1.587 in
Series	Industrial
Weight	2.4 lb
Seal Type	Shroud Seal
Total Length H	141.3 mm
Total Height L	79.45 mm
Housing Width A	1.177 in
Bolt Hole Spacing J	116.7 mm



## BEARING Argentina

Bolt Hole Size N	11.5 mm
Flange Thickness A1	13.5 mm
Center of Bearing from Housing End A2	20.06 mm
Inside Ring Width B	39.29 mm
Center of Bearing from Bearing End S	20.06 mm
Static Load Rating	2530 lbf
Dynamic Load Rating	4850 lbf